According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 1 of 10

Silicone Sealant - Acetoxy - Red

#### **SECTION 1: Identification**

**Product identifier** 

Product name: Silicone Sealant - Acetoxy - Red

**Product code:** 31314AUS, 31914

# Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

### Manufacturer or supplier details

Manufacturer: **Supplier: United States Australia HPP Lunds** J-B Weld Company, LLC

400 CMH Road 1/195 Jackson Rd

Sulphur Springs, TX 75482Sunnybank Hills, Qld 4109

903-885-7696 1300-306-781

# **Emergency telephone number:**

Australia

InfoTrac

1300-366-961 (24 hours)

### SECTION 2: Hazard(s) identification

### GHS classification:

Skin irritation, category 2 Carcinogenicity, category 1B Eye irritation, category 2A

### **Label elements**

### Hazard pictograms:





Signal word: Danger

#### **Hazard statements:**

H315 Causes skin irritation H350 May cause cancer

H319 Causes serious eye irritation

# **Precautionary statements:**

P264 Wash hands thoroughly after handling

P280 Wear face protection

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P302+P352 IF ON SKIN: Wash with plenty of soap and water



According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 2 of 10

### Silicone Sealant - Acetoxy - Red

P321 Specific treatment (see supplemental first aid information on this label)

P332+P313 If skin irritation occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P308+P313 IF exposed or concerned: Get medical advice/attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P405 Store locked up

P501 Dispose of contents/container in accordance with local regulations.

#### Hazards not otherwise classified:

None

# **SECTION 3: Composition and information on ingredients**

Identification	Name	Weight %
CAS number: 64742-46-7	Distillates (petroleum), hydrotreated middle	<10
CAS number: 4253-34-3	Methylsilanetriyl triacetate	<5
CAS number: 17689-77-9	Triacetoxyethylsilane	<5
CAS number: 7631-86-9	Silicon dioxide (amorphous)	<10
CAS number: 1317-65-3	Limestone	10-30

**Additional Information: None** 

### **SECTION 4: First aid measures**

#### **Description of first aid measures**

#### **General notes:**

Show this Safety Data Sheet to the doctor in attendance.

### **After inhalation:**

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 3 of 10

#### Silicone Sealant - Acetoxy - Red

#### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Most important symptoms and effects, both acute and delayed

# **Acute symptoms and effects:**

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

### **Delayed symptoms and effects:**

Effects are dependent on exposure (dose, concentration, contact time).

Exposure may cause cancer.

#### Immediate medical attention and special treatment

### **Specific treatment:**

Not determined or not applicable.

#### Notes for the doctor:

Treat symptomatically.

### **SECTION 5: Fire fighting measures**

### **Extinguishing media**

#### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable extinguishing media:

Do not use water jet.

#### Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

#### **Special protective equipment for firefighters:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### **Special precautions:**

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

# **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist. vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

### **Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 4 of 10

Silicone Sealant - Acetoxy - Red

#### Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### **SECTION 7: Handling and storage precautions**

### Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

### **SECTION 8: Exposure controls and personal protection**

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Australia	Distillates (petroleum), hydrotreated middle	64742-46-7	TWA: 5 mg/m³ (Oil mist, refined mineral)
	Silicon dioxide (amorphous)	7631-86-9	TWA: 10 mg/m³ (Silica amorphous, precipitated silica, & silica gel)
	Silicon dioxide (amorphous)	7631-86-9	TWA: 2 mg/m³ (Fumed silica, respirable dust)
	Limestone	1317-65-3	8-Hour TWA: 10 mg/m <sup>3</sup>

#### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

# Information on monitoring procedures:

Not determined or not applicable.

#### Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

# **Personal protection equipment**

**Eye and face protection:** 

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 5 of 10

#### Silicone Sealant - Acetoxy - Red

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

# **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

	In
Appearance	Red paste
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
рН	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	100°C (212°F)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	1.015 g/cm <sup>3</sup>
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 6 of 10

### Silicone Sealant - Acetoxy - Red

Oxidizing properties	Not determined or not available.
----------------------	----------------------------------

#### Other information

# **SECTION 10: Stability and reactivity**

### Reactivity:

Not reactive under recommended handling and storage conditions.

# Chemical stability:

Stable under recommended handling and storage conditions.

# Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### **Conditions to avoid:**

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

### Incompatible materials:

None known.

# **Hazardous decomposition products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Hazard information**

#### **Acute toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Distillates (petroleum),	oral	LD50 Rat: 5000 mg/kg
hydrotreated middle	inhalation	LC50 Rat: 4.6 mg/L
Methylsilanetriyl triacetate	oral	LD50 rat: 2060 mg/kg
Silicon dioxide (amorphous)	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rat: > 5000 mg/kg
	inhalation	LC50 Rat: > 58.8 mg/L (4hr)

### Skin corrosion/irritation

### **Assessment:**

Causes skin irritation.

#### **Product data:**

No data available.

#### **Substance data:**

Name	Result
Methylsilanetriyl triacetate	Causes severe skin burns and eye damage.

### Serious eye damage/irritation

#### **Assessment:**

Causes serious eye irritation.

# **Product data:**

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 7 of 10

Silicone Sealant - Acetoxy - Red

No data available.

Substance data: No data available.

Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Carcinogenicity
Assessment:

May cause cancer.

Product data: No data available.

**Substance data:** 

Name	Species	Result
Distillates (petroleum), hydrotreated middle		May cause cancer.

### International Agency for Research on Cancer (IARC):

Name	Classification
Silicon dioxide (amorphous)	Group 3

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**No data available.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 8 of 10

Silicone Sealant - Acetoxy - Red

Substance data: No data available.

# Information on likely routes of exposure:

Ocular, dermal, inhalation, ingestion.

# Symptoms related to the physical, chemical and toxicological characteristics:

Refer to Section 4 of this SDS.

#### Other information:

No data available.

# **SECTION 12: Ecological information**

# Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

# Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

#### **Bioaccumulative potential**

Product data: No data available.

Substance data:

Name	Result
Silicon dioxide (amorphous)	BCF: 3.16 L/kg

### Mobility in soil

Product data: No data available.

**Substance data:** 

Name	Result
Silicon dioxide (amorphous)	Mobile (log Koc: 1.337)

### Results of PBT and vPvB assessment

#### **Product data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

# Substance data:

#### **PBT** assessment:

DD	
Silicon dioxide (amorphous)	This substance is not PBT.
	the SVHC candidate list as PBT at concentrations above 0.1%.
Distillates (petroleum),	This substance is a UVCB and does not contain constituents included in

### vPvB assessment:

	This substance is a UVCB and does not contain constituents included in the SVHC candidate list as vPvB at concentrations above $0.1\%$ .
Silicon dioxide (amorphous)	This substance is not vPvB.

Generated using Total SDS<sup>™</sup> (patent-pending), www.GSMSDS.com

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 9 of 10

Silicone Sealant - Acetoxy - Red

Other adverse effects: No data available.

# **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

# Contaminated packages:

Not determined or not applicable.

# **SECTION 14: Transport information**

### **Australian Dangerous Goods (ADG)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# **International Maritime Dangerous Goods (IMDG)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Bulk Name	None	
Ship type	None	
Pollution category	None	

Generated using Total SDS  $^{\text{\tiny{M}}}$  (patent-pending), www.GSMSDS.com

According to the Australian Work Health and Safety Regulations

Initial preparation date: 06.03.2020 Page 10 of 10

Silicone Sealant - Acetoxy - Red

### **SECTION 15: Regulatory information**

# **Australia regulations**

Australian Inventory of Chemical Substances (AICS): All ingredients are listed or exempt. Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): None of the ingredients are listed.

# **SECTION 16: Other information**

### Abbreviations and Acronyms: None

#### Disclaimer:

This SDS was authored in accordance with the Australian Work Health and Safety Regulations and supplemented by the Australian Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 06.03.2020

#### **Revision Notes:**

Revision Date	Notes
2020-06-03	Classification change; composition change.

#### **Additional information:**

Version 2

**End of Safety Data Sheet**